



***BINATONE***



**CIXI BINATONE ELECTRIC APPLIANCE CO., LTD.**

ADD: NO.8, LUQIAO VILLAGE, ZHOUXIANG TOWN,  
CIXI CITY, ZHEJIANG, P.R.CHINA

TEL: 86-574-23700066

FAX: 86-574-23700070

EMAIL: ADMIN@HONG-SHUN.COM

WEBSITE: [HTTP://WWW.HONG-SHUN.COM](http://WWW.HONG-SHUN.COM)

**PRODUCT  
HANDBOOK**



# ABOUT BINATONE

Cixi Binatone Electric Appliance Co., Ltd.(Former is Cixi Hongshun Electrical part factory) is located at Zhouxiang Town, Cixi City, Zhejiang, China, which is close to 329 National Road, nearby Hangzhou International Airport(128KM), connecting with Shanghai through the cross sea Hangzhou Bay bridge.

Binatone(Hongshun) was established in 2005, specializing in manufacturing electric iron, hair straightener. The company is capable of design, moulds, production, sales together. Binatone(Hongshun) occupies a land of area about 10,000 square meters, employs close to 300 people and boasts a series of modern manufacturing facilities.

With the high effective working team, religious working attitude, scientific management and strict quality control, the products have been selling to all over the world, got many customers' approval, and have a good reputation among them. Binatone(Hongshun) aims to obtain the bigger market share at the following steps.

Binatone(Hongshun) product series are certified to GS, CE, ROHS,CB. Moreover, the company has obtained certification in ISO9001 international quality system.

Binatone(Hongshun) are sincerely offering best price, best service to customers both in OEM and ODM contracts and are looking for the opportunity to establish long term business relationships with you.



## EI8878

**COLOR:**



- Dry/Spray/Steam
- Burst of steam/Vertical steam
- Self cleaning
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating / Enamel
- Optional function: Anti-calcium / Anti-drip / Auto-shut off
- AC220-240V 50/60Hz 2000-2600W
- AC110-127V 60Hz 1000/1200W

**Packing Details**

- 8pcs/ctn
- N.W / G.W: 11.2 / 12.0kgs
- Giftbox size: 32X12.8X16.5 cm
- Carton size: 53.2X33X35 cm
- 20'GP: 3600pcs
- 40'GP: 7300pcs
- 40'HQ: 8480pcs



## EI8868

**COLOR:**



- Dry/Spray/Steam
- Burst of steam/Vertical steam
- Self cleaning
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating / Enamel
- Optional function: Anti-calcium / Anti-drip / Auto-shut off
- AC220-240V 50/60Hz 1800/2000W
- AC110-127V 60Hz 1000/1200W

**Packing Details**

- 10pcs/ctn
- N.W / G.W: 11.0 / 11.6kgs
- Giftbox size: 30.5X12.5X15.5 cm
- Carton size: 64.5X31.5X33 cm
- 20'GP: 4100pcs
- 40'GP: 8600pcs
- 40'HQ: 10000pcs





## EI8899


COLOR:



- Dry/Spray/Steam
- Burst of steam/Vertical steam
- Self cleaning
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating / Enamel
- Optional function: Anti-calcium / Anti-drip / Auto-shut off
- AC220-240V 50/60Hz 1800/2000W
- AC110-127V 60Hz 1000/1200W

### Packing Details

- 10pcs/ctn
- N.W / G.W: 11.0 / 11.6kgs
- Giftbox size: 29.0X12.5X15.5 cm
- Carton size: 64.5X30.0X33 cm
- 20'GP: 4100pcs
- 40'GP: 8600pcs
- 40'HQ: 10000pcs



## EI8889

COLOR:



- Dry/Spray/Steam
- Burst of steam/Vertical steam
- Self cleaning
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating / Enamel
- Optional function: Anti-calcium / Anti-drip / Auto-shut off
- AC220-240V 50/60Hz 1800/2000W
- AC110-127V 60Hz 1000/1200W

### Packing Details

- 10pcs/ctn
- N.W / G.W: 11.0 / 11.6kgs
- Giftbox size: 29.5X12.5X15.5 cm
- Carton size: 64.5X30.5X33 cm
- 20'GP: 4100pcs
- 40'GP: 8600pcs
- 40'HQ: 10000pcs





## EI8890

### COLOR:



- Dry/Spray/Steam
- Burst of steam/Vertical steam
- Self cleaning
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating
- Optional function: Anti-calcium / Anti-drip / Auto-shut off
- AC220-240V 50/60Hz 2000-2600W
- AC110-127V 60Hz 1000/1200W

### Packing Details

- 10pcs/ctn
- N.W / G.W: 13.5 / 14.2kgs
- Giftbox size: 30.5X12.5X15.5 cm
- Carton size: 64.5X31.5X33 cm
- 20'GP: 4100pcs
- 40'GP: 8600pcs
- 40'HQ: 10000pcs



## EI8888

### COLOR:




- Dry/Spray/Steam
- Burst of steam/Vertical steam
- Self cleaning
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating
- Optional function: Anti-calcium / Anti-drip / Auto-shut off
- AC220-240V 50/60Hz 2000-2600W
- AC110-127V 60Hz 1000/1200W

### Packing Details

- 8pcs/ctn
- N.W / G.W: 11.2 / 12.0kgs
- Giftbox size: 32X12.8X16.5 cm
- Carton size: 53.2X33X35 cm
- 20'FCL: 3600pcs
- 40'FCL: 7300pcs
- 40'HQ: 8480pcs





## EI8858

## EI8828

**COLOR:**



- Dry/Spray/Steam
- Burst of steam/Vertical steam
- Self cleaning
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating
- Optional function: Anti-calcium / Anti-drip / Auto-shut off
- AC220-240V 50/60Hz 1800/2000W
- AC110-127V 60Hz 1000/1200W

**Packing Details**

- 10pcs/ctn
- N.W / G.W: 11.1 / 11.8kgs
- Giftbox size: 29.5X12.5X15.5 cm
- Carton size: 64.5X30.5X33 cm
- 20'GP: 4100pcs
- 40'GP: 8600pcs
- 40'HQ: 10000pcs



**COLOR:**



- Dry/Spray/Steam
- Burst of steam/Vertical steam
- Self cleaning
- Rubber handle
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating
- Optional function: Anti-calcium / Anti-drip / Auto-shut off
- AC220-240V 50/60Hz 1800/2000/2200W
- AC110-127V 60Hz 1000/1200W

**Packing Details**

- 10pcs/ctn
- N.W / G.W: 11.3 / 12.0kgs
- Giftbox size: 29.5X12.5X15.5 cm
- Carton size: 64.5X30.5X33 cm
- 20'GP: 4100pcs
- 40'GP: 8600pcs
- 40'HQ: 10000pcs





## EI8811

### COLOR:



- Dry/Spray/Steam
- Burst of steam/Vertical steam
- Self cleaning
- Rubber handle
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating
- Optional function: Anti-calcium / Anti-drip / Auto-shut off
- AC220-240V 50/60Hz 2000/2200/2400W
- AC110-127V 60Hz 1000/1200W

### Packing Details

- 10pcs/ctn
- N.W / G.W: 12.4 / 13.2kgs
- Giftbox size: 30.5X12.5X15.5 cm
- Carton size: 64.5X31.5X33 cm
- 20'GP: 4100pcs
- 40'GP: 8600pcs
- 40'HQ: 10000pcs



## EI8811B

### COLOR:



- Dry/Spray/Steam
- Burst of steam/Vertical steam
- Self cleaning
- Chromed skirt
- Rubber handle
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating
- Optional function: Anti-calcium / Anti-drip / Auto-shut off
- AC220-240V 50/60Hz 2000/2200/2400W
- AC110-127V 60Hz 1000/1200W

### Packing Details

- 10pcs/ctn
- N.W / G.W: 13.5 / 14.2kgs
- Giftbox size: 30.5X12.5X16.0 cm
- Carton size: 64.5X31.5X33.5 cm
- 20'GP: 3900pcs
- 40'GP: 7200pcs
- 40'HQ: 9700pcs





## EI8817A

### COLOR:



- Dry/Spray/Steam
- Burst of steam/Vertical steam
- Self cleaning
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating
- AC220-240V 50/60Hz 1200/1400/1600W
- AC110-127V 60Hz 1000W

### Packing Details

- 10pcs/ctn
- N.W / G.W: 8.0 / 8.7kgs
- Giftbox size: 26.0X10.5X13.0 cm
- Carton size: 53.5X27.0X27.5 cm
- 20'GP: 6700pcs
- 40'GP: 14000pcs
- 40'HQ: 15800pcs



## EI8817E



- Dry/Spray/Steam
- Self cleaning
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating
- AC220-240V 50/60Hz 1200/1400/1600W
- AC110-127V 60Hz 1000W

### Packing Details

- 10pcs/ctn
- N.W / G.W: 8.0 / 8.7kgs
- Giftbox size: 26.0X10.5X13.0 cm
- Carton size: 53.5X27.0X27.5 cm
- 20'GP: 6700pcs
- 40'GP: 14000pcs
- 40'HQ: 15800pcs

## EI8817B



- Dry/Steam
- Self cleaning
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating
- AC220-240V 50/60Hz 1200/1400/1600W
- AC110-127V 60Hz 1000W

### Packing Details

- 10pcs/ctn
- N.W / G.W: 8.0 / 8.7kgs
- Giftbox size: 26.0X10.5X13.0 cm
- Carton size: 53.5X27.0X27.5 cm
- 20'GP: 6700pcs
- 40'GP: 14000pcs
- 40'HQ: 15800pcs







## EI8820

### COLOR:



- Dry/Spray/Steam
- Burst of steam/Vertical steam
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating
- AC220-240V 50/60Hz 1200/1400/1600W
- AC110-127V 60Hz 1000W

### Packing Details

- 10pcs/ctn
- N.W / G.W: 7.8 / 8.5kgs
- Giftbox size: 26.0X10.5X13.0 cm
- Carton size: 53.5X27.0X27.5 cm
- 20'GP: 6700pcs
- 40'GP: 14000pcs
- 40'HQ: 15800pcs



## EI8820E

### COLOR:



- Dry/Spray/Steam
- Adjustable temperature knob
- With over heating safety protection
- Soleplate: Non-stick / Stainless steel / Ceramic coating
- AC220-240V 50/60Hz 1200/1400/1600W
- AC110-127V 60Hz 1000W

### Packing Details

- 10pcs/ctn
- N.W / G.W: 7.7 / 8.4kgs
- Giftbox size: 26.0X10.5X13.0 cm
- Carton size: 53.5X27.0X27.5 cm
- 20'GP: 6700pcs
- 40'GP: 14000pcs
- 40'HQ: 15800pcs

